


7305 BECBP


SKF Explorer

Dimensions



d	25	mm
D	62	mm
B	17	mm
d_1	\approx 39.75	mm
d_2	\approx 32.38	mm
D_1	\approx 48.25	mm
a	26.8	mm
$r_{1,2}$	min.	1.1 mm
$r_{3,4}$	min.	0.6 mm

Abutment dimensions



d_a	min.	32	mm
D_a	max.	55	mm
D_b	max.	57.8	mm
r_a	max.	1	mm
r_b	max.	0.6	mm

Calculation data

Basic dynamic load rating	C	26.5	kN
Basic static load rating	C	15.3	kN
Fatigue load limit	P_u	0.655	kN
Reference speed		10000	r/min
Limiting speed		15000	r/min
Calculation factor	A	0.00391	
Calculation factor	k_r	0.1	
Calculation factor	e	1.14	

Single bearing or bearing pair arranged in tandem

Calculation factor	X	0.35
Calculation factor	Y	0.26
Calculation factor	Y_2	0.57

Bearing pair arranged back-to-back or face-to-face

Calculation factor	X	0.57
Calculation factor	Y	0.52

Calculation factor	Y_1	0.55
Calculation factor	Y_2	0.93
Mass		
Mass bearing	0.23	kg