


7309 BECBJ


SKF Explorer

Dimensions



d	45	mm
D	100	mm
B	25	mm
d ₁	≈ 66.5	mm
d ₂	≈ 55.25	mm
D ₁	≈ 79.9	mm
a	43	mm
r _{1,2}	min. 1.5	mm
r _{3,4}	min. 1	mm

Abutment dimensions



d _a	min. 54	mm
D _a	max. 91	mm
D _b	max. 94.4	mm
r _a	max. 1.5	mm
r _b	max. 1	mm

Calculation data

Basic dynamic load rating	C	61	kN
Basic static load rating	C	40.5	kN
Fatigue load limit	P _u	1.73	kN
Reference speed		6000	r/min
Limiting speed		9000	r/min
Calculation factor	A	0.0268	
Calculation factor	k _r	0.1	
Calculation factor	e	1.14	

Single bearing or bearing pair arranged in tandem

Calculation factor	X	0.35
Calculation factor	Y	0.26
Calculation factor	Y ₂	0.57

Bearing pair arranged back-to-back or face-to-face

Calculation factor	X	0.57
Calculation factor	Y	0.52

Calculation factor	Y_1	0.55
Calculation factor	Y_2	0.93

Mass

Mass bearing		0.87	kg
--------------	--	------	----